

Plum



Flowering and Ripening Time

Herat*

Kandahar*

Variety	March				April				June				July				August				March				April				May				June				July											
	Weeks																				Weeks																											
	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4				
Formosa 255																																																
Grangej siah 4030																																																
Formosa 280																																																
Fortune 6311																																																
Red beauty 6037																																																
Fazal Manani 6222																																																
Grangej zard 4031																																																
Tamsiq 178																																																
Beauty 274																																																
Stanley 332																																																
waikson 269																																																
Black Amber 6305																																																
Grangej zard dir ras 415																																																
Formosa 1009																																																
Sorkh 405																																																
Sia 327																																																
Lalkhon 6203																																																
Red Flash 6304																																																

* Complete data will be available next year.

 Flowering Time  Ripening Time

Variety name: Fortune 6311
Flowering time: 3rd to 4th week of March
Ripening time: 4th week of June
Average fruit size: medium
Fruit color: red
Fruit shape: round
Sugar Content: N/A
Overall: good fresh market



Variety name: Red beauty 6037
Flowering time: 3rd to 4th week of March
Ripening time: 2nd week of June
Average fruit size: large
Fruit color: red
Fruit shape: ovate
Sugar Content: 17 Brix*
Overall: firm flesh, attractive color



Variety name: Fazal Manani 6222
Flowering time: 3rd to 4th week of March
Ripening time: 3rd week of June
Average fruit size: medium
Fruit color: red
Fruit shape: round
Sugar Content: N/A
Overall: recommended for processing



* **Brix:** See Glossary for the definition of **Brix**.

Variety name: Formosa 255
Flowering time: 3rd to 4th week of March
Ripening time: 1st week July
Average fruit size: large
Fruit color: red
Fruit shape: ovate
Sugar content: 16 Brix
Overall: flesh is yellow and firm, exciting color



Variety name: Grangej siah 4030
Flowering time: 4th week of March to 1st week of April
Ripening time: 3rd week of June
Average fruit size: small
Fruit color: black
Fruit shape: oblate
Sugar Content: 32 Brix
Overall: attractive color and size



Variety name: Formosa 280
Flowering time: 3rd to 4th week of March
Ripening time: 1st week of July
Average fruit size: large
Fruit color: red
Fruit shape: oblate
Sugar Content: N/A
Overall: flesh is yellow red, good for fresh consumption



Variety name: Stanley 332

Flowering time: 3rd week of March to 2nd week of April

Ripening time: 2nd week August

Average fruit size: Small

Fruit color: red

Fruit shape: ovate

Sugar Content: N/A

Overall: good for drying



Variety name: Waikson 269

Flowering time: 2nd to 4th week of March

Ripening time: 3rd week July

Average fruit size: medium

Fruit color: red

Fruit shape: ovate

Sugar Content: N/A

Overall: good for fresh consumption



Variety name: Black Amber 6305

Flowering time: 3rd to 4th week of March

Ripening time: 2nd week July

Average fruit size: medium

Fruit color: black

Fruit shape: ovate

Sugar Content: 18 Brix

Overall: late variety, good for fresh consumption



Variety name: Grangej zard 4031
Flowering time: 3rd to 4th week of March
Ripening time: 4th week of June
Average fruit size: small
Fruit color: yellow
Fruit shape: round
Sugar Content: N/A
Overall: flesh is yellow, exciting color



Variety name: Tamsiq 178
Flowering time: 3rd to 4th week of March
Ripening time: 2nd week of June
Average fruit size: medium
Fruit color: red
Fruit shape: obovate
Sugar Content: 19 Brix
Overall: flesh is red and soft, attractive



Variety name: Beauty 274
Flowering time: 3rd week of March
Ripening time: 2nd week of June
Average fruit size: medium
Fruit color: red
Fruit shape: obovate
Sugar Content: 18 Brix
Overall: flesh is red and soft



Variety name: Sia 327

Flowering time: 3rd week of March

Ripening time: 4th week May

Average fruit size: Medium

Fruit color: Green

Fruit shape: Elongated

Sugar Content: N/A

Overall: Highly recommended



Variety name: Lalkhon 6203

Flowering time: 3rd week of March

Ripening time: 3rd week June

Average fruit size: large size

Fruit color: yellowish

Fruit shape: rounded

Sugar Content: N/A

Overall: recommended for processing



Variety name: Red Flash 6304

Flowering time: 3rd week of March

Ripening time: 2nd week June

Average fruit size: medium

Fruit color: purple

Fruit shape: elongated

Sugar Content: N/A

Overall: appreciated in market for its size



Variety name: Grangej zard dir ras 415

Flowering time: 3rd week of March

Ripening time: 3rd week of June

Average fruit size: medium

Fruit color: yellow

Fruit shape: round

Sugar Content: N/A

Overall: good for fresh consumption



Variety name: Formosa zard 1009

Flowering time: 3rd week of March

Ripening time: 3rd week of June

Average fruit size: medium

Fruit color: yellow

Fruit shape: round

Sugar Content: N/A

Overall: appreciated in market for fresh consumption



Variety name: Sorkh 405

Flowering time: 3rd week of March

Ripening time: 3rd week of June

Average fruit size: medium

Fruit color: yellow

Fruit shape: rounded

Sugar Content: N/A

Overall: good for fresh consumption

